

**CENTRAL TEXAS GROUNDWATER CONSERVATION DISTRICT (“District”)
NOTICE OF A HEARING UNDER WATER CODE SECTION 36.119**

NOTICE: Felps LLC filed a complaint (“Complaint”) under Water Code Section 36.119(g) alleging that Hanson Aggregates LLC (“Hanson”), whose mailing address is 300 E. John Carpenter Parkway, Suite 1645, Irving, TX 75063, is producing more water than is permitted by the District under Hanson’s Operating Permit Number OP-10110301, in connection with water produced from a quarry located at 4901 South U.S. 281, Burnet Texas. The Board of Directors will conduct a hearing on the Complaint in accordance with Texas Water Code section 36.119 on Monday, August 30, 2021, at 9:00 a.m. at the Texas AgriLife Extension Auditorium, 607 North Vandevener Street, Burnet, TX 78611.

For information contact the District by phone at 512-756-4900, in person at 225 S. Pierce, Suite 104, Burnet, TX, or visit the District’s website at www.centraltexasgcd.org.

Certification: I, the undersigned authority, do hereby certify that on August 11, 2021 at or before 4:00 p.m., I posted and filed the above notice of hearing with the Burnet County Clerk’s office for filing in the hallway of the Burnet County Courthouse in a place convenient and readily accessible to the general public at all times. I also certify that a copy of the notice was posted on the door and on an outside window of the District’s office and that it will remain so posted continuously, as required for the specific hearing type, immediately preceding the scheduled time of said hearing.



Mitchell Sodek, General Manager
Central Texas Groundwater Conservation District

POSTED

JANET PARKER
Burnet County Clerk

By Amy Grant at 11:49 am, Aug 11, 2021